

CLAIMS :

1. A method for dynamically associating actions with an object, comprising the computer implemented steps of:
 - responsive to selection of an object, determining an object type of the selected object;
 - determining actions which can be performed on the object type by other objects in a data processing system at the time of selection; and
 - associating the determined actions with the selected object.

25 3. The method of Claim 1, wherein the object is a Java
object.

4. The method of Claim 1, wherein the determining steps are performed on a Java class.

5. The method of Claim 2, wherein object is graphical user interface object representative of a network resource and the combined list of actions is presented in the interface to a user.

6. The method of claim 2, wherein the method provides a static list of actions for a specific class.

dynamically associating actions with the object based on an object type of the object; and responsive to a selection of the object, presenting the actions in the graphical user interface.

20 9. The method of claim 8, wherein the pointing device is one of a mouse, a track ball, a touch pad, a light pen, a touch screen, or a digitizing pad.

10. The method of claim 7, wherein the actions are
25 presented as a pop-up menu.

11. The method of claim 7, wherein the actions are presented as at least one of a selectable list, a selectable table, a tree, a set of button, and check boxes.

Docket No. AUS920010498US1

12. The method of claim 7, wherein the actions are dynamically associated in response to the selection of the object.

5 13. The method of claim 7, wherein the actions are dynamically associated when the object is initialized.

14. The method of claim 7 further comprising:
adding a new action to the actions prior to
10 dynamically associating the actions.

15. The method of claim 7, wherein changes to the actions result in only existing actions are presented.

15 16. The method of claim 7, wherein the method is implemented using a Java programming language.

17. A method in a data processing system for presenting actions associated with an object displayed in a
20 graphical user interface, the method comprising:
associating actions with the object to form associated actions, wherein a hard-coded association between the associated actions and the object are absent, not extensible and undesirable; and
25 responsive to a selection of the object, presenting the actions in the graphical user interface.

18. The method of claim 17, wherein the object is a folder and wherein the program is a file navigation
30 program.

405093-0000

Docket No. AUS920010498US1

19. The method of claim 17, wherein the object is a security object.
20. A data processing system comprising:
- 5 a bus system;
a communications unit connected to the bus system;
a memory connected to the bus system, wherein the memory includes a set of instructions; and
a processing unit connected to the bus system,
- 10 wherein the processing unit executes the set of instructions to dynamically associate actions with the object; and present the actions in the graphical user interface in response to a selection of the object.
- 15 21. A data processing system comprising:
a bus system;
a communications unit connected to the bus system;
a memory connected to the bus system, wherein the memory includes a set of instructions; and
- 20 a processing unit connected to the bus system, wherein the processing unit executes the set of instructions to associate actions with the object to form associated actions, wherein a hard-coded association between the associated actions and the object are absent,
- 25 not extensible and undesirable; and present the actions in the graphical user interface responsive to a selection of the object.
22. A data processing system comprising:
- 30 a bus system;
a communications unit connected to the bus system;

10

15

20

24. The data processing system as in 23 comprising:

25

30

25. The data processing system of Claim 23, wherein the object is a Java object.

27. The data processing system of claim 24, wherein object is graphical user interface object representative of a network resource and the combined list of actions is presented in the interface to a user.

15

29. A data processing system for presenting actions associated with an object displayed in a graphical user interface, the data processing system comprising:

20

 dynamically associating means for dynamically associating actions with the object; and

 presenting means, responsive to a selection of the object, for presenting the actions in the graphical user interface.

25 30. The data processing system of claim 29, wherein the
selection is made using a pointing device.

31. The data processing system of claim 30, wherein the pointing device is one of a mouse, a track ball, a touch pad, a light pen, a touch screen, or a digitizing pad.

Docket No. AUS920010498US1

32. The data processing system of claim 29, wherein the actions are presented as a pop-up menu.

33. The data processing system of claim 29, wherein the
5 actions are presented as at least one of a selectable list, a selectable table, a tree, a set of button, and check boxes.

34. The data processing system of claim 29, wherein the
10 actions are dynamically associated in response to the selection of the object.

35. The data processing system of claim 29, wherein the actions are dynamically associated when the object is
15 initialized.

36. The data processing system of claim 29, wherein the actions are dynamically associated at runtime.

20 37. The data processing system of claim 29 further comprising:

adding means for adding a new action to the actions prior to dynamically associating the actions.

25 38. The data processing system of claim 29, wherein changes to the actions result in only existing actions are presented.

30 39. The data processing system of claim 29, wherein the method is implemented using a Java programming language.

0985088-05294
F06290-8805880

40. A data processing system for presenting actions associated with an object displayed in a graphical user interface, the data processing system comprising:

presenting means, responsive to a selection of the
object, for presenting the actions in the graphical user
10 interface.

15 identifying means, responsive to an execution of a
program associated with the object, for identifying
actions associated with the object to form associated
actions; and

42. The data processing system of claim 41, wherein the
object is a folder and wherein the program is a file
25 navigation program.

44. A computer program product in a computer readable medium for dynamically associating actions with an object, the computer program product comprising:

first instructions, responsive to selection of an object, for determining an object type of the selected object;

third instructions for associating the determined actions with the selected object.

```

    first instructions for dynamically associating
15  actions with the object; and

```

20 46. A computer program product in a computer readable
medium presenting actions associated with an object
displayed in a graphical user interface, the computer
program product comprising:

second instructions, responsive to a selection of
the object, for presenting the actions in the graphical
30 user interface.

47. A computer program product in a computer readable medium for presenting actions associated with an object displayed in a graphical user interface, the computer program product comprising:

second instructions, responsive to a selection of
10 the object, for presenting the actions in the graphical
user interface.